


FIRE EXTINGUISHERS

MADE IN ITALY

168

		ACTIVATION	TYPE	CAPACITY (LT.)	WEIGHT (KG.)	
FIA 2000	014772FEAL <small>NEW</small>	ELECTRIC	FORMULA	0,9	1,8	
	014776EXL2 <small>NEW</small>	ELECTRIC	CIRCUIT	2	3,9	
	014776EXL3 <small>NEW</small>	ELECTRIC	RALLY/ CIRCUIT	3	5,1	
	014772EXL	ELECTRIC	RALLY/ CIRCUIT	4,25	6,7	
	014772MSL	MECHANIC	RALLY/ CIRCUIT	4,25	8,1	
ART. 253/J	014773BXL24 <small>NEW</small>	HAND HELD	RALLY	2,4	4,5	
	014773BXLN2	HAND HELD	RALLY	2	3,4	
	014773BSS2 <small>NEW</small>	HAND HELD	RALLY	2	2,8	

PERFORMANCE (PAG. 240)

	ACTIVATION	TYPE	ACTIVATION	WEIGHT (KG.)	
014775BXL2 <small>NEW</small>	HAND HELD	RALLY	2	2,8	

RACING Technical

014772FEAL

NEW



MANUFACTURER: SPARCO
MODEL: SP425
HOM. NO: EX.052.18
FIA STANDARD: FIA 2000



169

HOMOLOGATION: FIA 2000

€ 990,00
VAT NOT INCLUDED

1.3 litre aluminium single-seater extinguishing system.
AFFF extinguishing agent (0.9 litres).
Pressurised to 16 Bar.
Solid block-machined nozzles,
all-metal connectors.



014772FEAL



MA0142083
MA0142082



MA0142029



MA014RL24CL



MA0142023



MA0142030



MA0142043



MA0142041



MA0142042



MA0142040

RACING Technical

014776EXL2

NEW



MANUFACTURER: SPARCO
MODEL: SP425
HOM. NO: EX.052.18
FIA STANDARD: FIA 2000

170

HOMOLOGATION: FIA 2000

€ 550,00
VAT NOT INCLUDED

Ultra-light, electrically activated extinguisher system.
2.5 litre 160 mm diameter 180 mm
high CE certified stainless steel cylinder
(tested at over 40 Bar).
AFFF extinguishing agent (2 litres).
Solid block-machined nozzles, all-metal connectors.



014776EXL2



MA0142049
MA0142046



MA0142029



MA014RL24CL



MA0142023



MA0142030



MA0142043



MA0142041



MA0142042



MA0142040

014776EXL3

NEW



MANUFACTURER: SPARCO
MODEL: SP425
HOM. NO: EX.052.18
FIA STANDARD: FIA 2000



171

HOMOLOGATION: FIA 2000

€ 590,00
VAT NOT INCLUDED

Ultra-light, electrically activated extinguisher system.
3.75 litre 160 mm diameter 235 mm
high CE certified stainless steel cylinder
(tested at over 40 Bar).
AFFF extinguishing agent (3 litres).
Solid block-machined nozzles, all-metal connectors.



014776EXL3



MA0142049
MA0142046



MA0142029



MA014RL24CL



MA0142023



MA0142030



MA0142043



MA0142041



MA0142042



MA0142040

014772EXL



MANUFACTURER: SPARCO
MODEL: SP425
HOM. NO: EX.052.18
FIA STANDARD: FIA 2000

172

HOMOLOGATION: FIA 2000

€ 599,00

VAT NOT INCLUDED

Ultra-light, electrically activated extinguisher system.
CE certified bottle in stainless steel (tested at over 40 Bar).
AFFF foam extinguisher (4.25 litres).
Solid block-machined nozzles, all-metal connectors.



014772EXL



MA0142013
MA0142049
MA01480



MA0142029



MA014RL24CL



MA0142023



MA0142030



MA0142043



MA0142041



MA0142042



MA0142040

014772MSL



MANUFACTURER: SPARCO
MODEL: SP425
HOM. NO: EX.052.18
FIA STANDARD: FIA 2000



173

HOMOLOGATION: FIA 2000

€ 235,00

VAT NOT INCLUDED

Mechanically activated extinguisher system.
CE certified bottle in steel (tested at over 40 Bar).
AFFF foam extinguisher (4.25 litres).
Solid block-machined nozzles, all-metal connectors.



014772MSL



MA0142013
MA0142049
MA01480



MA0142029



MA014RL24CL



MA0142023



MA0142043



MA0142041



MA0142042



MA0142040

HAND HELD EXTINGUISHERS

014773BXLN2

014773BXLN2

Ultra-light FIA approved extinguisher.
2 litre Novec extinguishing agent.



€ 295,00
VAT NOT INCLUDED

014773BXL24 **NEW**

014773BXL24

Ultra-light FIA approved extinguisher.
2.4 litre AFFF extinguishing agent.
3.9 litre stainless steel cylinder (h 345 mm diameter 130).



€ 155,00
VAT NOT INCLUDED

014773BSS2

014773BSS2

Hand-held extinguisher 2.0 kg EN3 compliant powder.
complete with 2 brackets.
Ultra-light FIA approved extinguisher.



€ 75,00
VAT NOT INCLUDED

ROLL BAR

FEATURES

Passage adhering to the body shell wherever possible. Accurate manufacturing. Specific boxed reinforcements. Made with certified material. Front suspension fixing points on some models.


- 1A Multipoint welded-in, 25CrMo4 with front suspension fixing points.
- 1B Multipoint welded-in, Fe45 with front suspension fixing points.
- 2A Multipoint built-in, 25CrMo4 with front suspension fixing points.
- 2B Multipoint built-in, Fe45 with front suspension fixing points.
- 3A 25CrMo4 roll cage without front suspension fixing points.
- 3B Fe45 roll cage without front suspension fixing points.
- 3C Weld-in roll cage without front suspension point.
- 4 Roll cages with door bars Fe 45.

FOR THE COMPLETE APPLICATION LIST PLEASE CHECK PRICE LIST.

1A-1B




3A-3B-3C



2A-2B



4



ROLL BAR PADDINGS

€ 49,00
VAT NOT INCLUDED

As from 01.01.2003 FIA-approved padding has become compulsory in all types of races and cars. Sparco supplies a material certified in accordance with FIA regulation 8857-2001, in different choices of length and diameter. The paddings are fitted to the roll cages in all possible points of contact with driver with harnesses fastened.



APPROVED
MANUFACTURER: SPARCO
MODEL: FIA PADDING
HOM. NO.: CP.0003-03-A
FIA STANDARD: 8857-2001

0076050
Ø 50 mm - 500 mm - 122 g - Set 2 pcs



APPROVED
MANUFACTURER: SPARCO
MODEL: FIA PADDING
HOM. NO.: CP.0003-03-A
FIA STANDARD: 8857-2001

0076045
Ø 45 mm - 500 mm - 131 g - Set 2 pcs



APPROVED
MANUFACTURER: SPARCO
MODEL: FIA PADDING
HOM. NO.: CP.0003-03-A
FIA STANDARD: 8857-2001

0076040
Ø 40 mm - 500 mm - 129 g - Set 2 pcs



APPROVED
MANUFACTURER: SPARCO
MODEL: 0076035
HOM. NO.: CP.008.17.A
FIA STANDARD: 8857-2001

0076035
Ø 35 mm - 500 mm - 135 g - Set 2 pcs

RACING START ADAPTATION KIT

00780KS € 149,00
VAT NOT INCLUDED

Racing start kit is proposed to upgrade the existing Appendix J roll cages. This kit is composed of 6 tubes to build up the cross reinforcement for the roof and the main roll bar, complete with reinforcement gussets.

DOOR BARS KIT

00797 € 110,00
VAT NOT INCLUDED

Universal kit composed of 2x door bars (diam. 40x2 mm) with 2x welded gussets on one side, 4x M 10 screws, 4x M10 self-locking bolts, 4x forks, 2x plugs.



00797

UNIVERSAL GUSSET KIT FOR ROOF

00798SP1 € 29,00
VAT NOT INCLUDED

Kit composed of 2x universal reinforcement gussets to be mounted on the tubes' cross joint (dimensions 190x85 mm). This is a universal kit so it's could be necessary for the user to adapt it to his own roll cage.

UNIVERSAL GUSSET KIT FOR DOORBAR CROSS

00780M € 39,00
VAT NOT INCLUDED

Kit composed of 4x universal reinforcement gussets to be mounted on the tubes' cross joint (dimensions 100x170 mm). This is a universal kit so it's could be necessary for the user to adapt it to his own roll cage.

ROLL CAGE PLUG

00782NTS € 9,00
VAT NOT INCLUDED

Forged plug for tubes' assembly, using plug + fork system.

ROLL CAGE FORK

00798SP1 € 9,00
VAT NOT INCLUDED

Ø 40 mm Ø 50 mm

0078140S 0078150S

Fork for tubes' assembly, using plug + fork system (tube diameter 40 mm) (tube diameter 50 mm).

ROLL CAGE PLUGS

00780M € 25,00
VAT NOT INCLUDED

Pair of perforated sleeves (diameter 45 mm) for tubes' assembly.

REINFORCEMENT PLATES + COUNTERPLATES
FIA 2010 UPDATING KIT00780P € 49,00
VAT NOT INCLUDED

Kit composed of 4x perforated plates + 4x flat counter plates (3 mm thick). These plates must be adapted in accordance to the different configurations of roll cages or body shells and allow to update the roll cage fixing in accordance with 2010 FIA regulation.

DRIVER FOOTRESTS

03780AN

€ 25,00
VAT NOT INCLUDED

Embossed anodised aluminium, with brackets, bolts and screws.



03788BRI (until stock last)

€ 43,00
VAT NOT INCLUDED

Footrest collapsible in the event of a crash. Embossed anodised aluminium.



PEDAL SETS

03775

€ 33,00
VAT NOT INCLUDED

Steel. Black.



03779AN

€ 25,00
VAT NOT INCLUDED

3 piece set in embossed anodised aluminium, complete with brackets, bolts and screws.



03783L

€ 75,00
VAT NOT INCLUDED



3-piece set in pre-bent and shaped mixed carbon. Brake and clutch with non-slip inserts.

BONNET PINS

€ 21,50
VAT NOT INCLUDED

Pair of stainless steel bonnet pins with captive slide pin.



01606S

01606AA

01606AR

01608

KIT OF 8 STICKERS

ASPA002

€ 2,50
VAT NOT INCLUDED



AERO FUEL CAPS

270050A

€ 85,00
VAT NOT INCLUDED

Without key.



27009G

€ 35,00
VAT NOT INCLUDED



HAMMERS

01615

€ 15,00
VAT NOT INCLUDED

Professional hammer.



01613

€ 10,50
VAT NOT INCLUDED

Hammer with seatbelt cutter built-in.



TYRE WARMERS

FOR THE APPLICATION LIST PLEASE CHECK PRICE LIST.




WINDOW NETS

- 002192FA-R
- 002192FA-G
- 002192FA-BM

€ 59,00
VAT NOT INCLUDED

Approved in compliance with FIA 2003 spec.
Dimensions: 50 cm long and 52 cm high.
Velcro tape for quick fastening to roll bar.



FIA 8863-2013 APPROVED WINDOW NET SPECIFICALLY FOR TRACK USE


Seat side fixing with 1" belts and 2 bar adjusters for fixing to rollbar.
Dashboard side fixing with optional double use:
- Quick release fixing with 1" strap.
- Quick release fixing 2" strap and spring-operated adjuster for better net tension .

002193NR
€ 209,00
VAT NOT INCLUDED

002194NR
€ 375,00
VAT NOT INCLUDED



FIA APPROVED
MANUFACTURER: SPARCO
MODEL: 002193NR
HOM. NO.: RN.008.16
FIA STANDARD: 8863-2013



FIA APPROVED
MANUFACTURER: SPARCO
MODEL: 002194NR
HOM. NO.: RN.011.17
FIA STANDARD: 8863-2013

PIT SIGNAL BOARD



Pit signal kit.
00594

€ 190,00
VAT NOT INCLUDED

4 row reflection-proof black aluminium frame.



Cover. 00594C

€ 95,00
VAT NOT INCLUDED

Number sets. 00592/1

€ 55,00
VAT NOT INCLUDED

Pit board. 00594T

€ 65,00
VAT NOT INCLUDED

MAPLIGHTS

01628

€ 55,00
VAT NOT INCLUDED

Led Reading lamp, length 49 cm, flexible tube, 12V.

PACENOTE BOOK

03725

€ 16,00
VAT NOT INCLUDED

TYRE PRESSURE GAUGES

2941463

€ 89,00
VAT NOT INCLUDED

Scale 0-4 bar, aluminium handle, rubber cap, high-precision recording.

29424101C

€ 129,00
VAT NOT INCLUDED

Scale 0-4 bar, aluminium handle, rubber cap, high-precision recording.

BATTERY MASTER SWITCH

01337

€ 39,00
VAT NOT INCLUDED

Battery master switch with rotating lever. Instant disconnection of all electric circuits. Provision for remote control Complies with FIA spec. Suitable for 6, 12 and 24V systems, rated at 100A continuous.

01336

€ 17,00
VAT NOT INCLUDED

Bipolar master battery cutout switch with rotating lever. Instant disconnection of master electric circuit. Provision for remote control. Suitable for 6, 12 and 24V systems, rated at 100A continuous.

RACERS TAPE

01691

€ 19,00
VAT NOT INCLUDEDAll-purpose heavy duty racer tape.
Roll 50 mm wide x50 metres. 7 different colours.

01692

€ 19,00
VAT NOT INCLUDED

Aluminised tape. Roll 50 mm wide x50 m.

0169550

€ 19,00
VAT NOT INCLUDEDTransparent, scratchproof adhesive tape.
Roll 50 mm wide x50 m.

01691

01692

0169550

03773

€ 35,00
VAT NOT INCLUDED

Universal spare wheel fastening with high-strength tape, complete with locking ratchet, 3 eyebolts and 3 fixing plates.

CIRCUIT/RALLY STOP-WATCH

29424103

€ 249,00
VAT NOT INCLUDED

TOWING EYE

01626GI (until stock last)

€ 35,00
VAT NOT INCLUDED

Steel towing eye. Hole diameter 80 mm, FIA compliant.

01627GI (until stock last)

€ 39,00
VAT NOT INCLUDED

Steel towing eye. Hole diameter 50 mm, FIA compliant.

01612RS

€ 17,00
VAT NOT INCLUDED

Ribbon towing eye. Hole diameter 13 mm, MAX load 3000 kg.

03776

€ 32,00
VAT NOT INCLUDED

Cross spanner fastening with retainer springs and anti-vibration rubber.